Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	0	processor same (ss7 near5 (message packet frame) near5 SCCP near5 server) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 12:01
<u>L</u> 5	. 4	processor same (ss7 near5 (message packet frame) near5 SCCP) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 12:10
L6	8	processor and (ss7 near15 (identif\$7 near5 (service request)) near15 SCCP) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 12:56
L7	5	SS7 same (process\$3 near15 (identif\$7 near5 (service request)) near15 SCCP) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 12:57
S1	959	(370/352,236.ccls. 340/286.02. ccls. 379/350.ccls.) and (ss7 "signaling system No. 7" "ss No. 7")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 07:37
S2	4	S1 and sccp same gt same ssn and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 17:47
S3	18	((BERND) near2 (STAHL)).INV.	US-PGPUB; USPAT	OR	ON	2007/09/24 17:00
S4	6	((UWE) near2 (SPITZER)).INV.	US-PGPUB; USPAT	OR	ON	2007/09/24 17:00
S5	3	((RUDOLF) near2 (SALOMON)). INV.	US-PGPUB; USPAT	OR	ON .	2007/09/24 17:09

· · · · · · · · · · · · · · · · · · ·			T	т		· · · · · · · · · · · · · · · · · · ·
S6	3	S3 and S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/09/25 07:37
S7	2	"6006098".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 14:42
S8	1963	(370/352,351,353,354,355,356, 389,236.ccls. 340/286.02.ccls. 379/350,221.1,221.08,221.09, 221.11,221.12,230.ccls.) and (ss7 "signaling system No. 7" "ss No. 7")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 10:24
S10		S7 and sccp same gt same ssn same tcap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 07:46
S12	0	S8 and sccp with gt near15 ssn near15 tcap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 07:47
S13	4	S8 and sccp with gt near15 ssn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 07:59
S14	11	S8 and sccp same gt same ssn same tcap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:16
S15	, 3	S8 and SSN near15 (application near2 service near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/09/25 08:37

		•				•
S16	3	S8 and SSN near15 (application near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 08:47
S17	3	S8 and SSN same (application near3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 08:47
S18	18	S8 and SSN same (service near5 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 11:54
S19	2	"20010029182".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 11:36
S20	1	(ss7 "signaling system No. 7" "ss No. 7" "ss#7") and (map\$4 near15 ssn) same (service near2 request\$3) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 13:40
S21	3	(ss7 "signaling system No. 7" "ss No. 7" "ss#7") and (map\$4 same ssn) same (service near2 request\$3) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 11:14
S22	1	(ss7 "signaling system No.7" "ss No.7" "ss#7") and (map\$4 near15 gt) same (ssn near15 (service near2 request\$3)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 11:17
S23	4	(ss7 "signaling system No.7" "ss No.7" "ss#7") and (map\$4 near15 gt) same ssn and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 11:37

S24	2	"20020064271".pn.	US-PGPUB; USPAT;	OR	ON	2007/09/26 11:37
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S25		"642687".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 11:38
S27	3	(ss7 "signaling system No. 7" "ss No. 7" "ss#7") and (table near5 online) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 13:50
S28	1068	(ss7 "signaling system No. 7" "ss No. 7" "ss#7") and (table near5 rout\$3) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 13:52
S29	5	(ss7 "signaling system No. 7" "ss No. 7" "ss#7") and (SSN near5 table near5 rout\$3) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/09/26 13:54
S30		(ss7 "signaling system No. 7" "ss No. 7" "ss#7") and (SSN near15 table near15 rout\$3 near15 TCAO) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 14:04
S31	0	(ss7 "signaling system No. 7" "ss No. 7" "ss#7") and (SSN near15 table near15 rout\$3 near15 TCAP) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 14:05
S32	0	(ss7 "signaling system No. 7" "ss No. 7" "ss#7") and (SSN near15 table near15 rout\$3 near15 GT) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/09/26 14:36

S33	119	((signal message packet frame) near5 (identif\$7 recogniz\$5) near5 TCAP) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 15:45
S34	0	((signal message packet frame) near5 (identif\$7 recogniz\$5) near5 TCAP near5 filter) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON /	2007/09/26 14:43
S35	6	sccp near2 message near10 GT and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:39
S36	9	(sccp near2 (message packet frame)) same GT same SSN and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:02
S37	9	(sccp near3 (message packet frame signal\$3)) same GT same SSN and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/09/26 17:36
S38	0	(sccp same GT near5 SSN near5 table) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 17:38
S39	6	(sccp same GT same SSN same table) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 17:39
S40	0	(rout\$3 near2 table near5 online same updat\$3) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 17:49

S41	64	((rout\$3 near2 table near5 (online internet)) same updat\$3) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/09/26 17:51
S42	243	((rout\$3 near2 table near5 updat\$3) same (online internet)) and @ay<="2002"	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/09/26 17:51
S43	62	((rout\$3 near2 table near5 updat\$3) near10 (online internet)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 17:56
S44	2	((rout\$3 near2 table near5 updat\$3) near10 online) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 17:52
S45	2	SSN and GT and SS7 and nortel. as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:15
S46	40	(SS7 "SS No.7" "signaling system No.7") and (ssn same (service near2 request\$3)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:39
S47	. 14	(SS7 "SS No.7" "signaling system No.7") and (ssn near15 (service near2 request\$3)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:29
S48	6	S47 and TCAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:33

S49	19	S46 and (TCAP same (service near2 request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:33
S50	1	(SS7 "SS No.7" "signaling system No.7") and (("signaling application server") same (service near2 request\$3)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:47
S51	2	(SS7 "SS No.7" "signaling system No.7") and (("signaling application server") and (service near2 request\$3)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:47
S52	2	(SS7 "SS No.7" "signaling system No.7") and ("signaling application server") and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:48
S53	534	(SS7 "SS No.7" "signaling system No.7") and ("application server") and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:49
S54	74	(SS7 "SS No.7" "signaling system No.7") and ("application server" same (service near2 request\$3)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:50
S55	26	S54 and (TCP UDP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:37
S56	0	S54 and ((TCP UDP) near15 (serive near2 request\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 15:38

	1	·		Ţ	T	
S57	0	(SS7 "SS No.7" "signaling system No.7") and ((TCP UDP) near15 (serive near2 request\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/09/27 16:08
S58	0	(SS7 "SS No.7" "signaling system No.7") and ((TCP UDP) near15 field near15 (serive near2 (request\$3 application))) and @ay<="2002"	US-PGPUB; USPAT; USOCR; ERO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:11
S59	97	(SS7 "SS No.7" "signaling system No.7") and ((TCP UDP) near15 field) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 08:06
S60	57	S59 and ((application request) near2 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:12
S61	0	(SS7 "SS No.7" "signaling system No.7") and ((TCP UDP) near15 field) same ((application request) near2 service) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:14
S62	. 111	(ss7 "signaling system No.7") same (packet frame) same ((application request) near3 service) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 07:21
S63	19	(ss7 "signaling system No.7") same (packet frame) near10 ((application request) near3 service) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 07:21
S64	2	"7050456".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/09/28 08:06